INVITATION FOR QUOTATION

TEQIP-II/2015/CH1G02/Shopping/102

21 -Dec-2015

To,

Sub: Invitation for Quotations for supply of Goods

Dear Sir,

1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr.	Brief	Quantity	Delivery	Place of Delivery	Installation
No	Description		Period(In		Requirement (if
			days)		any)
1	BOD Incubator	1	40	Dr SS Bhatnagar University Institute of Chemical Engg and Tech, Panjab University, Chandigarh	Will be done at the site
2	Lab Shaker (with temperature control)	1	40	Dr SS Bhatnagar University Institute of Chemical Engg and Tech, Panjab University, Chandigarh	Will be done at the site
3	TDS cum Conductivity meter	1	40	Dr SS Bhatnagar University Institute of Chemical Engg and Tech, Panjab University, Chandigarh	Will be done at the site

4	pH meter	1	40	Dr SS Bhatnagar University	Will be done at
				Institute of Chemical Engg	the site
				and Tech, Panjab	
				University, Chandigarh	
5	Turbidity meter	1	40	Dr SS Bhatnagar University	Will be done at
				Institute of Chemical Engg	the site
				and Tech, Panjab	
				University, Chandigarh	

- 2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme[TEQIP]-Phase II** Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.
- 3. Quotation,
 - 3.1 The contract shall be for the full quantity as described above.
 - 3.2 Corrections, if any, shall be made by crossing out, initialing, dating and re writing.
 - 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit price.
 - 3.4 Applicable taxes shall be quoted separately for all items.
 - 3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
 - 3.6 The Prices should be quoted in Indian Rupees only.
- 4. Each bidder shall submit only one quotation.
- 5. Quotation shall remain valid for a period not less than **55** days after the last date of quotation submission.
- 6. Evaluation of Quotations,

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which

- 6.1 are properly signed; and
- 6.2 confirm to the terms and conditions, and specifications.

- 7. The Quotations would be evaluated for all items together.
- 8. Award of contract:

The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

- 8.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.
- 8.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.
- 9. Payment shall be made in Indian Rupees as follows:

Delivery and Installation - 90% of total cost

Satisfactory Acceptance - 10% of total cost

- 10. All supplied items are under warranty of **24** months from the date of successful acceptance of items.
- 11. You are requested to provide your offer latest by 14:30 hours on 12-Jan-2016.
- 12. Detailed specifications of the items are at Annexure I.
- 13. Training Clause (if any) The company should provide training of the specified equipment at the time of installation without any additional cost. Also training of technician/concerned person at the site.
- 14. Testing/Installation Clause (if any) **Vendor has to install the equipment in the lab space** provided at his own cost and test the equipment.
- 15. Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.
- 16. Sealed quotation to be submitted/ delivered at the address mentioned below,

The chairperson,

TEQIP-II,

Dr. S.S. Bhatnagar University Institute of Chemical Engineering and Technology,

Panjab University, Chandigarh – 160 014 17. We look forward to receiving your quotation and thank you for your interest in this project.

(Authorized Signatory)

Name & Designation

Annexure I

Sr. No	Item Name	Specifications
1	BOD Incubator	Capacity: 150 Ltrs Temperature Range: 0-65°C Temperature Resolution: 0.1°C Temperature Uniformity: ±0.5°C Timer: 1-999 min -Stainless steel inner chamber -No. of Trays: 03 -Microprocessor based controller -Inner chamber with light for convenient observation -Circulation Fan to maintain uniform temperatureCFC free refrigeration With suitable CVT (Servo type) and Warranty: 2 years
2	Lab Shaker (with temperature control)	Temperature Range: 5-80 °C± 0.5 °C or better Inside Chamber Made of Stainless Steel -Microprocessor based PID temperature controller and auto tunning -Shaking Platform to accommodate different size of flasks: 100mL04 number minimum, 250mL04 number minimum and 500mL02 number minimum -Variable speed: 10-250rpm With suitable CVT (Servo type) and Warranty: 2 years
3	TDS cum Conductivity meter	A Single TDS cum Conductivity meter Measuring range:0µS/cm-199.9mS/cm: 0.1mg/L- 199.9g/L(TDS) Temperature: 0-100 °C Resolution: Automatic range, 0.1 °C Accuracy: ± 0.5% of the measured value,±0.3 °C Calibration: 1 points, 3 predefined standards Display: Liquid crystal Warranty: 2 years
4	pH meter	Measuring range:0-14pH, -1999 to 1999mV Temperature: 0-100 °C Resolution: 0.01pH,1mV, 0.1 °C Accuracy: ± 0.01 pH, ±1mV,±0.5 °C Calibration: 3 points, 3 predefined buffers Display: Liquid crystal

		Warranty: 2 years
5 T	Furbidity meter	Should be designed on EPA method. Range: 0 to 4000 NTU Accuracy:± 2 % of reading plus 0.01 NTU from 0 to 1000 NTU, ±5% of reading from 1000 to 4000 NTU or better Display Type: 8-digit LED display Measurement Modes: NTU, Nephelo or more Operating Temperature Range: 0 to 40 °C Power Requirements: 115 to 230 VAC; 50 to 60 Hz; 60 VA maximum Repeatability: ± 1 % of reading or ± 0.01 NTU, whichever is greater Resolution:0.001 on lowest range Sample Cell Compatibility: 25 mm round; 12, 13, 16, and 19 mm round with optional adapter kit Source Lamp: Tungsten lamp Storage Conditions:-40 °C to 60 °C Warranty: 2 years With Standard calibration kit (Complete) for different NTU values

FORMAT FOR QUOTATION SUBMISSION

(In letterhead of the supplier with seal)

		Date:
To:		
		

SI.	Description of	Qty.	Unit	Quoted Unit rate in Rs.	Total Price	Sales tax and other	
No.	goods (with full			(Including Ex Factory price, excise duty, packing and	(A)	taxes payable	
	Specifications)			forwarding, transportation, insurance, other local		In	In figures
				costs incidental to delivery and warranty/ guaranty		%	(B)
				commitments)			
Total Cost							

Gross Total Cost (A+B): Rs	
agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. ——————— (Am	nount in
res) (Rupees ——————amount in words) within the period specified in the Invitation for Quotations.	