## Process Dynamics and Control BE (Chemical with MBA and Food Tech.) 7<sup>th</sup> Semester


Max. Marks: 25

## Instructions

- 1. Please write your roll number, class and name at the top of all the pages/answer sheets.
- 2. Please scan all the pages/answer sheets as a single pdf file and upload the same in google classroom.
- 3. Attempt all questions.

----XX-----

- Q1 A mercury thermometer having a time constant of 0.5 min is placed in a (10) temperature bath at 95°F and allowed to come to equilibrium with the bath. At time t=0, the temperature of the bath begins to vary sinusoidally about its average temperature of 95°F with an amplitute of 5°F. If the frequency of oscillation is  $1/\pi$  cycles/min, plot the ultimate response of the thermometer reading as a function of time on an ordinary graph paper. What is the phase lag?
- Q2 Derive transfer function of pure dead time by considering suitable example. (7)
- Q3 Consider the liquid level system as shown in Fig 1. The tanks are non-interacting in (8) which resistances  $R_1$  and  $R_2$  are linear. The system is operating at steady state. Suddenly a disturbance is observed in the inflow to the first tank. Assume that the disturbance to be a unit impulse function. Calculate the level in tank three, 2 min after the disturbance in inflow occurs, if initially tank three is showing a steady state level of  $h_s$ =0.2m. The flow rate from tank three is independent of head (h). You can write the transfer function of individual tanks directly. There is no need to derive the transfer functions across individual tanks.



----XXXXX-----